Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1304719	clip or staple or clamp or ligature or ligating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 15:37
L2	4798	(606/139,142,143,148,205-211).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/22 15:37
L3	1306846	1 or 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 15:37
L4	227678	3 and (1 with (hole or aperture or bore or opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 15:41
L5	1898595	wire or mandril	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 15:41
L6	31966	5 with (enlarged or bulg\$4 or stopper or bulbous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 15:42
L7	2276	4 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2006/12/22 15:42
L8	1773	7 and (5 with (hole or opening or bore or aperture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 15:44

12/22/06 4:54:32 PM Page 1

						•
L9	780	8 and ((enlarged or bulg\$4 or stopper or bulbous) with (hole or opening or bore or aperture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:14
L10	857	8 and ((enlarged or bulg\$4 or stopper or bulbous or straight or linear) with (hole or opening or bore or aperture))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:14
L11	77	10 not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:15
L12	1	(ligating or clip or ligature or clamp) and (tube or tubular) and (wire or mandril) and ((clip or clamp or ligating or ligature) with (arms or legs)) and ((clip or clamp or ligating or ligature) with (opening or hole or bore or aperture)) and (wire with ((stopper or bulg\$4 or bulbous or enlarged)) with ((hole or opening or bore or aperture)) and (hole or aperture or bore or opening) with (deform\$4 or compress\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:23
L13	. 1	(ligating or clip or ligature or clamp) and (tube or tubular) and (wire or mandril) and ((clip or clamp or ligating or ligature) with (arms or legs)) and ((clip or clamp or ligating or ligature) with (opening or hole or bore or aperture)) and (wire with ((straight or linear)) with ((hole or opening or bore or aperture)) and (hole or aperture or bore or opening) with (deform\$4 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:52
L14	15977	compress\$4)).clm. muramatsu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:52

12/22/06 4:54:32 PM

				•		
L15	343	14 and junichi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:52
L16	191236	kobayashi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:52
L17	453	16 and tsukasa	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/12/22 16:52
L18	298590	suzuki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:53
L19	4506	18 and takayuki	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:53
L20	. 105	19 and (ligat\$4 or clip or clamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:53
L21	198999	yamamoto.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:53
L22	3055	21 and tetsuya	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:53

12/22/06 4:54:32 PM

		T	<del></del>			
L23	55	22 and (ligat\$4 or clip or clamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:54
L24	917	15 or 17 or 20 or 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:54
L25	176	24 and (ligat\$4 or clip or clamp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/22 16:54

12/22/06 4:54:32 PM Page 4